



Industrial Vacuums Range



Mistral

Compact single-phase vacuums



501 WD / 802 WD

- + Wet & dry vacuums, 100% steel construction, ideal for contractors and general cleaning
- + 1, 2 or 3 by pass motors
- + Capacity from 50 to 120 lt
- + Integrated floating with discharge hose/valve
- + Wet filters (PPL + foam) for foam reduction
- + Dry filter for dust filtration



202 DS

- + The best filtration in its segment: extra large cartridge filter with integrated filter cleaning
- + 2 by pass motors
- + 20 lt. detachable container with possible use of disposable collection bags
- + Optional filters class H and stainless steel construction



352 DS

- + Mobile vacuum for multi-purpose cleaning
- + Robust steel construction and high filtration capacity, with integrated filter cleaning system

Mistral

Compact three-phase vacuums for continuous duty cleaning



202 DS ECO / PHARMA 20 / PHARMA 30

- + Compact vacuums, suitable for fixed extraction or mobile service. Ideal for the pharmaceutical and food industries
- + 1.8 KW (single or three phase) or 2.2 KW, super silent motor suitable for continuous duty



- + Extra large filtration capacity and efficiency against fine dust

- + Possible use of disposable collection bags

- + Optional filters class H and stainless steel 304 / 316 construction



3533 / 3534

- + Compact and silent unit suitable for fixed extraction or mobile cleaning

- + Power 2.2 KW or 3 KW, maintenance free and super silent motor suitable for continuous duty

- + Polyester filter with integrated filter cleaning system

DM

Single-phase Heavy duty industrial vacuum range



DM 3 / DM40 SGA / DM35 SGA

- + Ideal for heavy duty cleaning in narrow spaces

- + 2 or 3 by pass motors, suitable for wet & dry service

- + Flexibility in collecting dust, wet and dry solid material at the same time

- + Detachable container, capacity 50 to 100 lt

- + Optional filters for specific applications and stainless steel construction

- + Longopac® safe collection system available on request



DM 35 OIL / DM40 OIL

- + Specifically designed for machine tool cleaning and maintenance

- + Ideal for suction of oil, coolant, metal chips and shavings

- + Integrated collection / separation basket and level indicator

- + Detachable container with integrated floating device with liquid discharge valve



ZEFIRO

Compact mobile units for heavy duty industrial cleaning

ZEFIRO RANGE



+ Highly mobile compact vacuums, ideal for heavy duty cleaning in narrow spaces

+ Power 2.2 KW (threephase or singlephase), 3 KW, 5.5 KW, maintenance free and super silent motor suitable for 24/7 continuous duty



+ Units for dry or wet & dry service, with detachable container (capacity 50 to 100 lt.) and possible use of disposable collection bags

+ High surface filter with integrated filter cleaning system



+ Optional filters for specific applications and stainless steel construction

+ Delfin Patented filter changing system for Zefiro 101

DG EXP DG HD

A complete range of 3phase heavy duty vacuums for all industries

DG EXP



+ 2.2 KW, 4 KW or 5.5 KW, maintenance free and silent motor suitable for continuous duty

+ Wet & Dry service with detachable container and possible use of collection bags

+ High surface filter with integrated filter cleaning system



+ Optional filters for specific applications and stainless steel construction

DG HD

+ 7.5 KW to 25 KW, side channel blower motors with outstanding suction performance

+ Suitable for mobile service or central vacuum installations, possible use of pre separators and silos hoppers



+ High surface filters with automatic or manual filter cleaning systems

+ Optional filters for specific applications, stainless steel construction

Tecnoil

Oil, coolant, swarf and metal chips recovery units

Tecnoil 100 IF



+ 3 KW side channel blower motor, 100 lt. capacity
+ Fast discharge system through reversed airflow
+ Solid / liquid separation basket
+ Level indicator

Tecnoil 150 MP



+ Separation of oil and coolant from solid parts
+ Filtration options down to 300 / 100 / 30 / 6 micron
+ Powerful independent electrical pump for rapid oil discharge

Tecnoil 250 / 450 / 700



+ High collection capacity 250 to 700 lt.
+ 3 to 7.5 KW motors , single or three phase
+ Filtration options down to 300 / 100 / 30 / 6 micron
+ Powerful independent electrical pump for rapid oil discharge





Fixed suction units for non-stop direct extraction on OEM machines



Central Vacuum Systems



AS

- + Extraction of scraps from processing lines and packaging machinery
- + 1 to 5.5 KW super silent motor suitable for continuous duty
- + High capacity container, optional stainless steel construction
- + Integrated collection bag for easy removal and level indicator



DBF / DBFV

- + Direct extraction of scraps on processing machines or lines.
- + 0,4 to 2,2 KW super silent motor suitable for continuous duty
- + Collection container with integrated filter cleaning system
- + Compact dimensions suitable for integration into production machinery
- + Wide choice of optional features such as H filtration, stainless steel construction, ATEX construction, and customization



Central Vacuum Systems

- + Wide choice of suction units (power up to 25 KW) and filter units
- + Collection preseparators (sylos, tilting skips etc.) with or without integrated filters, and with customized automatic or manual discharge systems
- + Components and accessories for piping installations
- + Modular solution and flexibility in separating and assembling suction, filter and collection units
- + Support in design and customization



Certifications



ATEX **Ex**



air



Compressed air operated
vacuums / ATEX certified
Zone 1 - 2 / 21 - 22



Electrical vacuums ATEX certified
for Dust (Zone 21 / 22) and gas
(Zone 2)

Accessories (extract)



Contact

delfin

Delfin S.r.l.
Strada della Merla, 49/A
I-10036 Settimo Torinese (TO) Italia
T +39 011 800 55 00
F +39 011 800 55 06
delfin@delfinvacuums.it

www.delfinvacuums.it



802 WD AIR / 802 WD AIR EX

- + Venturi suction unit (single or double)
- + Wet & dry compact vacuum unit, stainless steel or painted steel construction
- + Integrated floating for liquids and discharge hose



202 DS AIR / 352 DS AIR / 352 DS AIR EX

- + Venturi suction unit (single or double)
- + High filtration surface and efficiency
- + Stainless steel or painted steel construction
- + Detachable bin with optional collection into disposable bags



DM3 AIR / DM3 AIR EX

- + Double Venturi suction unit
- + High filtration surface, efficiency and capacity
- + Stainless steel or painted steel construction
- + Detachable bin with optional collection into disposable bags



ATEX Electrical vacuums

- + Double ATEX safety: certified assembled machine AND certified motors and main electrical components

- + Large range and choice of models with different power and performance (1 to 18 KW, single-phase and three-phase), for mobile service or fixed installation

- + Wet & dry options, stainless steel or painted steel construction

- + Filtration class M, class H filtration available as option

		Zone	Risk	Category
Atex risk zones classification	Gas	1	Occasional	2G
		2	Rare	3G
	Dust	21	Occasional	2D
		22	Rare	3D

